



SUB-fighter

ROV comparison chart

Standard delivery volume

MODEL		3000	3000	4500	7500	7500	7500	15 k	30 k
						CROV	offshore	offshore	offshore
Type of ROV System									
Electric		yes	yes	yes	yes	yes	yes	yes	yes
Inspection		yes	yes	yes	yes	yes	yes	yes	yes
Light work		yes	yes	yes	yes	yes	yes	yes	-
Work		-	-	yes	yes	yes	yes	yes	yes
Survey		yes	yes	yes	yes	yes	yes	yes	yes
TMS		-	-	option	option	option	option	option	option
LARS		-	-	option	option	option	option	option	option
Container based		-	-	option	option	option	option	option	option
Custom build		yes	yes	yes	yes	yes	yes	yes	yes
Depth rating									
Standard	m	300	700	700	700	700	1500	700	1000
Optional	m	700	-	3000	3000	3000	3000	6000	6000
Dimensions									
Length	mm	800	970	1180	1440	1200	1500	1500	2500
Width	mm	700	670	720	820	930	820	9700	1500
Height	mm	550	640	720	810	830	870	820	1600
Weight									
ROV	kg	91	147	190	340	310	410	450	1350
Top side	kg	17	48	126	136	136	-	-	-
System Complete	kg	108	195	316	476	446	-	-	-
Payload ROV									
Weight App.	kg	5	5	20	20	20	30	30	60
Optional Payload		yes	yes	yes	yes	yes	yes	yes	yes
Tether									
Fiber / Chopper	F/C	C	F	F	F	F	F	F	F
Dimension	mm	11	12,5	15,5	15,5	15,5	16 / 20	16/20	22/27
Weight Dry / 100 m	kg	25,5	13	18	18	18	21	-	-
Weight in Salt Water	kg	+10	0	0	0	0	0	0	0
Max, Length std. Tether	m	200	1000	1000	1000	1000	500	500	500
Power Requirements									
Single Phase	VAC	230	230	230	230	230	-	-	-
3 Phase	VAC	230	230	230	230	230	440/690	440/690	440/690
AC	Hz	50-60	50-60	50-60	50-60	50-60	50-60	50-60	50-60
Power	kVA	5	5	7	10	10	10	18	40
Optional System VAC		yes	yes	yes	yes	yes	yes	yes	yes
Thrusters									
Brushless AC		yes	yes	yes	yes	yes	yes	yes	yes
Electronic Fuse Reset		yes	yes	yes	yes	yes	yes	yes	yes
Adjustable Power Settings		yes	yes	yes	yes	yes	yes	yes	yes
Oil Compensated		yes	yes	yes	yes	yes	yes	yes	yes

MODEL		3000	3000	4500	7500	7500	7500	15 k	30 k
						CROV	offshore	offshore	offshore
Thruster configuration									
Horizontal		2	2	2	2	2	2	4 x V	2
Vertical		1	1	1	2	3	2	2	3
Lateral		-	-	1	1	V	1	4 x V	1
Optional Thrust		-	-	yes	yes	yes	yes	yes	yes
Speed									
Forward	knot	>3	>3	2,6	2,8	2,5	2,8	3	2,1
Vertical	knot	1,5	1,5	1,1	1,9	2.6	1,2	2	1,8
Lateral	knot	-	-	1,2	1,3	-	1,3	3	0,9
Frame									
Anodized Aluminium	6082	yes	yes	yes	yes	yes	yes	yes	yes
Buoyancy									
Dyvinicell		yes	yes	yes	yes	yes	-	-	-
Syntactic Foam		-	-	option	option	option	yes	yes	yes
Auto Functions									
Depth		yes	yes	yes	yes	yes	yes	yes	yes
Heading		yes	yes	yes	yes	yes	yes	yes	yes
Altitude		option	option	option	option	option	option	option	option
Traction DP, Dynamic Positioning		-	-	-	option	option	option	option	option
Telemetry System									
Fibre		option	option	yes	yes	yes	yes	yes	yes
TWP - FSK		yes	yes	option	option	option	-	-	-
Video and Data system									
Camera Interfaces		3	3	4	4	4	4 - 5	4 - 5	4 - 7
Video Simultaneous		1	1	3	3	3	3	3	4
Switch function Channel for 3 Cameras		1	1	1	1	1	1	1	1
Survey Channel RS 232		-	3	3	3	3	3	3	16
Survey Channel RS 485		-	3	3	3	3	3	3	5
Survey Data Channels		-	option	yes	yes	yes	yes	yes	yes
Ethernet 10 –100 mBit		-	option	option	option	option	option	option	option
USB interface		-	option	option	option	option	option	option	option
HD - Camera Interface		-	option	option	option	option	option	option	option
Camera									
CCD Colour High Res.		yes	yes	yes	yes	yes	yes	yes	yes
CCD Low Light		option	option	option	option	option	yes	yes	yes
Zoom		option	option	option	option	option	option	option	option
HD-SDI		-	option	option	option	option	option	option	option
Still Camera		option	option	option	option	option	option	option	option

Data can be changed

MODEL		3000	3000	4500	7500	7500	7500	15 k	30 k
						CROV	offshore	offshore	offshore
Lighting									
Lights Halogen 250W		2	2	2	2	2	2	2	2
Light Interfaces Standard		2	2	4	4	4	4	4	4
Dimmable Halogen 250W		-	-	4	4	4	4	4	4
Dimmable Channels		-	-	3	3	3	3	3	3
LED 150 W Interface		option	option	yes	yes	yes	yes	yes	yes
HMI 2 x 400W Interface		option	option	yes	yes	yes	yes	yes	yes
Camera mounting									
Pan and Tilt Cameras		yes	yes	yes	yes	yes	yes	yes	yes
Pan and Tilt Lights		yes	yes	yes	yes	yes	yes	yes	yes
Top and Rear Mounted		option	option	option	option	option	option	option	option
LARS Launch and recovery									
Pad Eye		yes	yes	yes	yes	yes	-	-	-
Latch		-	-	option	option	option	yes	yes	yes
LARS		-	-	option	option	option	yes	yes	yes
Interfaces Tools and Survey Equipment									
Manipulator Grabber 1F		yes	yes	yes	yes	yes	yes	yes	yes
Hydraulic Manipulator 5F		option	option	option	option	option	option	option	option
Hydraulic Manipulator 7F		-	-	-	-	-	-	option	option
Sonar TWP / RS 485		yes	yes	yes	yes	yes	yes	yes	yes
Cameras		yes	yes	yes	yes	yes	yes	yes	yes
HD Camera		-	-	option	option	option	option	option	option
Lighting		yes	yes	yes	yes	yes	yes	yes	yes
Transponder		yes	yes	yes	yes	yes	yes	yes	yes
Laser		yes	yes	yes	yes	yes	yes	yes	yes
3 phase Electric Tools		option	option	option	option	option	option	option	option
Multi beam		-	-	option	option	option	option	option	option
Cable Tracker		-	-	option	option	option	option	option	option
CTD Sensors		-	option	option	option	option	option	option	option
Sub Bottom		-	-	option	option	option	option	option	option
Digiquarts Depth Gauge		-	option	option	option	option	option	option	option
Hydraulic Tooling		-	.	option	option	option	option	option	option
Surface Viewing and Control System									
Portable Units		yes	yes	yes	yes	yes	build in	build in	build in
Splash proof Cabinets		yes	yes	yes	yes	yes	-	-	-
Video Monitor	>19"	yes	yes	yes	yes	yes	yes	yes	yes
PC Monitor	>19"	yes	yes	yes	yes	yes	yes	yes	yes
PC		-	-	yes	yes	yes	yes	yes	yes
Portable Remote Control		yes	yes	yes	yes	yes	yes	yes	yes
Wireless Control		option	option	option	option	option	option	option	option

Data can be changed

MODEL	3000	3000	4500	7500	7500	7500	15 k	30 k
					CROV	offshore	offshore	offshore
Video Overlay								
Overlay	yes	yes	yes	yes	yes	yes	yes	yes
Still Picture	-	-	yes	yes	yes	yes	yes	yes
Video Measurement	-	-	yes	yes	yes	yes	yes	yes
Video Pointer	-	-	yes	yes	yes	yes	yes	yes
Position and NMEA	-	-	yes	yes	yes	yes	yes	yes
Individual Setup	-	-	yes	yes	yes	yes	yes	yes
Video Recording								
DVD Build In PC	-	-	yes	yes	yes	yes	yes	yes
HDD Build In PC	-	-	yes	yes	yes	yes	yes	yes
External DVD HDD HD	option	option	option	option	option	option	option	option

Data can be changed

Phone: +4735025000
 Fax: +4735025120
 Mobile: +4792024616

E-mail: wh@sperre-as.com
<http://www.sperre-as.com>

VAT number: NO947 063 405
 Bank account: 2699.05.11119